







Die No. 1531 0.900 KG/12FT





| Die No. | T    | W / 12FT    |
|---------|------|-------------|
| 1571    | 0.75 | 0.900-1.000 |
| 1571    | 0.85 | 1.000-1.200 |
| 1571    | 1.0  | 1.200-1.400 |
| 1571    | 1.20 | 1.400-1.600 |
| 1571    | 1.30 | 1.600-1.800 |
| 1571    | 1.45 | 1.800-2.000 |

Die No. 1532 1.250 KG/12FT




| Die No. | T    | W / 12FT    |
|---------|------|-------------|
| 19825   | 0.75 | 1.200-1.400 |
| 19825   | 1.0  | 1.400-1.600 |
| 19825   | 1.15 | 1.600-1.800 |
| 19825   | 1.25 | 1.800-2.000 |


Die No. 1552 1.400 KG/12FT



| Die No. | T    | W / 12FT    |
|---------|------|-------------|
| 1592    | 0.75 | 0.900-1.000 |
| 1592    | 0.85 | 1.000-1.200 |
| 1592    | 1.0  | 1.200-1.400 |
| 1592    | 1.2  | 1.400-1.600 |
| 1592    | 1.3  | 1.600-1.800 |
| 1592    | 1.45 | 1.800-2.000 |



| Die No. | T    | W / 12FT      |
|---------|------|---------------|
| 1593    | 0.80 | 1.000 - 1.200 |
| 1593    | 0.95 | 1.200 - 1.400 |




| Die No. | T    | W / 12FT    |
|---------|------|-------------|
| 1631    | 0.8  | 1.200-1.400 |
| 1631    | 0.95 | 1.400-1.600 |
| 1631    | 1.05 | 1.600-1.800 |
| 1631    | 1.20 | 1.800-2.000 |




Die No. 1525

2.200 KG/12FT  
1.800 KG/12FT




Die No. 22023

2.200 KG/12FT




Die No. 1526

1.900 KG/12FT




Die No. 22024

2.400 KG/12FT




Die No. 1527

2.200 KG/12FT  
1.800 KG/12FT




Die No. 22025

1.800 KG/12FT




Die No. 16142

2.150 KG/12FT



Die No. 16133


1.800 KG/12FT






Die No. 1533

1.950 KG/12FT




Die No. 1534

1.600 KG/12FT




Die No. 1528

1.500 KG/12FT




Die No. 1529

1.610 KG/12FT




Die No. 1505

1.560 KG/12FT




Die No. 1501

1.550 KG/12FT



Die No. 1530


1.620 KG/12FT







Die No. 1101

0.950 KG/12FT




Die No. 1102

1.080 KG/12FT




| Die No. | T    | W / 12FT    |
|---------|------|-------------|
| 19462   | 0.65 | 1.200-1.400 |
| 19462   | 0.75 | 1.400-1.600 |
| 19462   | 0.85 | 1.600-1.800 |
| 19462   | 0.95 | 1.800-2.000 |
| 19462   | 1.05 | 2.000-2.200 |
| 19462   | 1.55 | 3.000-3.200 |




| Die No. | T    | W / 12FT    |
|---------|------|-------------|
| 19461   | 0.65 | 1.400-1.600 |
| 19461   | 0.75 | 1.600-1.800 |
| 19461   | 0.85 | 1.800-2.000 |
| 19461   | 0.95 | 2.200-2.400 |
| 19461   | 1.55 | 3.400-3.600 |


Die No. 20015

1.400 KG/12FT







| Die No. | T    | W / 12FT    |
|---------|------|-------------|
| 19464   | 0.65 | 1.600-1.800 |
| 19464   | 0.70 | 1.800-2.000 |
| 19464   | 0.80 | 2.200-2.400 |
| 19464   | 0.90 | 2.400-2.600 |
| 19464   | 1.00 | 2.600-2.800 |
| 19464   | 1.10 | 2.800-3.000 |
| 19464   | 1.20 | 3.000-3.200 |
| 19464   | 1.30 | 3.500-3.700 |
| 19464   | 1.55 | 4.200-4.400 |




| Die No. | T    | W / 12FT    |
|---------|------|-------------|
| 19463   | 0.70 | 2.200-2.400 |
| 19463   | 0.80 | 2.400-2.600 |
| 19463   | 0.85 | 2.600-2.800 |
| 19463   | 0.90 | 2.800-3.000 |
| 19463   | 1.00 | 3.000-3.200 |
| 19463   | 1.15 | 3.600-3.800 |
| 19463   | 1.25 | 3.800-4.000 |
| 19463   | 1.55 | 4.700-4.900 |




| Die No. | T    | W / 12FT    |
|---------|------|-------------|
| 1150    | 0.85 | 2.800-3.000 |
| 1150    | 0.90 | 3.000-3.200 |
| 1150    | 0.95 | 3.200-3.400 |
| 1150    | 1.00 | 3.400-3.600 |
| 1150    | 1.05 | 3.600-3.800 |
| 1150    | 1.20 | 4.100-4.300 |
| 1150    | 1.55 | 5.300-5.500 |



| Die No. | T    | W / 12FT    |
|---------|------|-------------|
| 1162    | 0.85 | 3.400-3.600 |
| 1162    | 0.90 | 3.600-3.800 |
| 1162    | 0.95 | 3.800-4.000 |
| 1162    | 1.00 | 4.100-4.300 |
| 1162    | 1.15 | 4.600-4.800 |
| 1162    | 1.55 | 6.100-6.300 |



| Die No. | T    | W / 12FT    |
|---------|------|-------------|
| 1167    | 0.80 | 3.800-4.000 |
| 1167    | 0.90 | 4.300-4.600 |
| 1167    | 1.10 | 5.300-5.600 |




| Die No. | T    | W / 12FT    |
|---------|------|-------------|
| 1168    | 0.85 | 4.600-4.800 |
| 1168    | 0.90 | 5.000-5.200 |
| 1168    | 1.10 | 6.000-6.200 |




Die No. 16091

3.280 KG/12FT




Die No. 16092

1.260 KG/12FT



Die No. 3003

3.350 KG /12FT



Die No. 19905

6.130 KG/12FT

